


-268-

**CLAIMS**

What we claim is:

1. A compound of formula (I)



or a salt, ester or prodrug thereof;

where:

**X** is O or NR<sup>6</sup>;

**R<sup>6</sup>** is hydrogen or C<sub>1-4</sub>alkyl;

- 10 **R<sup>1</sup>** is hydrogen, halo, or -X<sup>1</sup>R<sup>11</sup>;

**X<sup>1</sup>** is a direct bond, -CH<sub>2</sub>=CH<sub>2</sub>-, -O-, -NH-, -N(C<sub>1-6</sub>alkyl)-, -C(O)-, -C(O)O-, -OC(O)-, -NHC(O)-, -N(C<sub>1-6</sub>alkyl)C(O)-, -C(O)NH- or -C(O)N(C<sub>1-6</sub>alkyl)-;

**R<sup>11</sup>** is hydrogen, or a group selected from C<sub>1-6</sub>alkyl, C<sub>2-6</sub>alkenyl, C<sub>2-6</sub>alkynyl, C<sub>3-6</sub>cycloalkyl, C<sub>3-6</sub>cycloalkenyl, heterocyclyl, heterocyclylC<sub>1-4</sub>alkyl, heterocyclylC<sub>2-4</sub>alkenyl and

- 15 heterocyclylC<sub>2-4</sub>alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from halo, hydroxy, C<sub>1-4</sub>alkoxy, hydroxyC<sub>1-4</sub>alkyl, -NR<sup>9</sup>R<sup>10</sup>, -C(O)R<sup>9</sup>, -C(O)NR<sup>9</sup>R<sup>10</sup> and -C(O)OR<sup>9</sup>;

**R<sup>2</sup>** is hydrogen, halo, nitro, cyano or -X<sup>2</sup>R<sup>12</sup>;

**X<sup>2</sup>** is a direct bond, -O-, -NH-, -N(C<sub>1-6</sub>alkyl)-, -OC(O)- or -C(O)O-;

- 20 **R<sup>12</sup>** is hydrogen, or a group selected from C<sub>1-6</sub>alkyl, C<sub>2-6</sub>alkenyl, C<sub>2-6</sub>alkynyl, C<sub>3-6</sub>cycloalkyl, C<sub>3-6</sub>cycloalkenyl, aryl, arylC<sub>1-4</sub>alkyl, arylC<sub>2-4</sub>alkenyl, arylC<sub>2-4</sub>alkynyl, heterocyclyl, heterocyclylC<sub>1-4</sub>alkyl, heterocyclylC<sub>2-4</sub>alkenyl and heterocyclylC<sub>2-4</sub>alkynyl, which group is optionally substituted by 1, 2 or 3 substituents selected from halo, hydroxy, C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, -NR<sup>15</sup>R<sup>16</sup>, -NHC(O)NR<sup>15</sup>R<sup>16</sup>, -C(O)R<sup>15</sup> and -C(O)OR<sup>15</sup>;

- 25 **R<sup>3</sup>** is hydrogen, halo or -X<sup>3</sup>R<sup>13</sup>;

-269-

$X^3$  is a direct bond,  $-CH_2=CH_2-$ ,  $-O-$ ,  $-NH-$ ,  $-N(C_{1-6}alkyl)-$ ,  $-C(O)-$ ,  $-C(O)O-$ ,  $-OC(O)-$ ,  $-NHC(O)-$ ,  $-N(C_{1-6}alkyl)C(O)-$ ,  $-C(O)NH-$  or  $-C(O)N(C_{1-6}alkyl)-$ ;

$R^{13}$  is hydrogen or a group selected from  $C_{1-6}alkyl$ ,  $C_{2-6}alkenyl$ ,  $C_{2-6}alkynyl$ ,  $C_{3-6}cycloalkyl$ ,  $C_{3-6}cycloalkenyl$ , aryl, aryl $C_{1-4}alkyl$ , aryl $C_{2-4}alkenyl$ , aryl $C_{2-4}alkynyl$ , heterocyclyl,

5 heterocyclyl $C_{1-4}alkyl$ , heterocyclyl $C_{2-4}alkenyl$  and heterocyclyl $C_{2-4}alkynyl$  which group is optionally substituted by 1 or 2 substituents independently selected from  $-NR^7R^8$ ,  $-$

$C(O)NR^7R^8$ , halo, hydroxy,  $C_{1-4}alkyl$ ,  $C_{1-4}alkoxy$ , hydroxy $C_{1-4}alkyl$ , hydroxy $C_{1-}$

$4alkylcarbonyl$ ,  $C_{1-4}alkylcarbonyl$ , amino $C_{1-4}alkylcarbonyl$ ,  $C_{1-4}alkylaminoC_{1-4}alkylcarbonyl$  and bis( $C_{1-4}alkyl$ )amino $C_{1-4}alkylcarbonyl$ ;

10  $R^7$  and  $R^8$  are independently selected from hydrogen, heterocyclyl, heterocyclyl $C_{1-4}alkyl$ ,  $C_{1-4}alkylheterocyclylC_{1-4}alkyl$ ,  $C_{1-6}alkyl$ , hydroxy $C_{1-6}alkyl$ ,  $C_{1-4}alkoxyC_{1-6}alkyl$ ,  $C_{3-6}cycloalkyl$ ,  $C_{3-6}cycloalkylC_{1-4}alkyl$ , hydroxy $C_{3-6}cycloalkyl$ , hydroxy $C_{1-4}alkylC_{3-6}cycloalkyl$ , hydroxy $C_{3-6}cycloalkylC_{1-4}alkyl$ , hydroxy $C_{1-4}alkylC_{3-6}cycloalkylC_{1-4}alkyl$ ,  $C_{1-4}alkoxyC_{3-6}cycloalkyl$ ,  $C_{1-4}alkoxyC_{3-6}cycloalkylC_{1-4}alkyl$ , halo $C_{1-6}alkyl$ , halo $C_{3-6}cycloalkyl$ , halo $C_{3-6}cycloalkylC_{1-4}alkyl$ ,

15  $C_{2-6}alkenyl$ ,  $C_{2-6}alkynyl$ , cyano $C_{1-4}alkyl$ , amino $C_{1-6}alkyl$ ,  $C_{1-4}alkylaminoC_{1-6}alkyl$ , bis( $C_{1-4}alkyl$ )amino $C_{1-6}alkyl$ , hydroxy $C_{1-4}alkoxyC_{1-4}alkyl$ , hydroxy $C_{1-4}alkylcarbonyl$ ,  $C_{1-4}alkylcarbonyl$ , amino $C_{1-4}alkylcarbonyl$ ,  $C_{1-4}alkylaminoC_{1-4}alkylcarbonyl$  and bis( $C_{1-4}alkyl$ )amino $C_{1-4}alkylcarbonyl$ ;

or  $R^7$  and  $R^8$  together with the nitrogen to which they are attached form a heterocyclic ring

20 which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and  $SO_2$ , and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from  $C_{1-4}alkyl$ , hydroxy,  $C_{1-4}alkoxy$ , hydroxy $C_{1-4}alkyl$ ,  $C_{1-4}alkoxyC_{1-4}alkyl$ , hydroxy $C_{1-4}alkoxyC_{1-4}alkyl$ ,  $C_{1-4}alkoxyC_{1-4}alkoxy$ , hydroxy $C_{1-4}alkylcarbonyl$ ,  $C_{1-4}alkylcarbonyl$ , amino $C_{1-}$

25  $4alkylcarbonyl$ ,  $C_{1-4}alkylaminoC_{1-4}alkylcarbonyl$  and bis( $C_{1-4}alkyl$ )amino $C_{1-4}alkylcarbonyl$ , and where a ring  $-CH_2-$  is optionally replaced with  $-C(O)-$ ;

$R^4$  is selected from hydrogen, halo or  $-X^4R^{14}$ ;

$X^4$  is a direct bond,  $-O-$ ,  $-NH-$  or  $-N(C_{1-6}alkyl)-$ ;

$R^{14}$  is selected from hydrogen,  $C_{1-6}alkyl$ ,  $C_{2-6}alkenyl$  and  $C_{2-6}alkynyl$ ;

30  $R^5$  is aryl or heteroaryl optionally substituted by 1, 2 or 3 substituents independently selected from halo, hydroxy, cyano, nitro, amino,  $C_{1-4}alkylamino$ , bis( $C_{1-4}alkyl$ )amino,  $C_{1-4}alkyl$ ,  $C_{2-4}alkenyl$ ,  $C_{2-4}alkynyl$ ,  $C_{1-4}alkoxy$ ,  $-CONHR^{17}$ ,  $-NHCOR^{18}$ ,  $-SR^{17}$ ,  $-S(O)R^{17}$  and  $-S(O)OR^{17}$ ;

**-270-**

**R<sup>9</sup>, R<sup>10</sup>, R<sup>15</sup> and R<sup>16</sup>** are independently selected from hydrogen, C<sub>1-6</sub>alkyl, C<sub>3-6</sub>cycloalkyl, C<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, hydroxyC<sub>1-6</sub>alkyl, haloC<sub>1-6</sub>alkyl, aminoC<sub>1-6</sub>alkyl, C<sub>1-4</sub>alkylaminoC<sub>1-6</sub>alkyl and bis(C<sub>1-4</sub>alkyl)aminoC<sub>1-6</sub>alkyl;

or **R<sup>9</sup> and R<sup>10</sup>** together with the nitrogen to which they are attached form a heterocyclic ring

5 which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO<sub>2</sub>, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C<sub>1-4</sub>alkyl, hydroxy, C<sub>1-4</sub>alkoxy, hydroxyC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkoxy, hydroxyC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, aminoC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylaminoC<sub>1-4</sub>alkylcarbonyl and bis(C<sub>1-4</sub>alkyl)aminoC<sub>1-4</sub>alkylcarbonyl,


10 and where a ring -CH<sub>2</sub>- is optionally replaced with -C(O)-;

**R<sup>17</sup> and R<sup>18</sup>** are independently selected from hydrogen, C<sub>1-4</sub>alkyl, C<sub>3-6</sub>cycloalkyl, C<sub>2-4</sub>alkenyl and C<sub>2-4</sub>alkynyl;

**R<sup>19</sup>** is hydrogen, hydroxyC<sub>1-4</sub>alkyl, -C(O)R<sup>20</sup>, -C(O)OR<sup>20</sup>, -CONR<sup>20</sup>R<sup>21</sup>, -NHC(O)R<sup>20</sup> or -NHC(O)OR<sup>20</sup>;

**R<sup>20</sup> and R<sup>21</sup>** are independently selected from hydrogen, C<sub>1-4</sub>alkyl and aryl.

## 2. A compound of formula (IA)



20 or salt or ester thereof

where X, X<sup>1</sup>, X<sup>2</sup>, X<sup>3</sup>, R<sup>4</sup>, R<sup>5</sup> and R<sup>19</sup> are as defined in relation to formula (I) and

**R<sup>1</sup>** is hydrogen, halo, or -X<sup>1</sup>R<sup>11</sup>;

**R<sup>11</sup>** is hydrogen, phosphonooxy or a group selected from C<sub>1-6</sub>alkyl, C<sub>2-6</sub>alkenyl, C<sub>2-6</sub>alkynyl, C<sub>3-6</sub>cycloalkyl, C<sub>3-6</sub>cycloalkenyl, heterocyclyl, heterocyclylC<sub>1-4</sub>alkyl, heterocyclylC<sub>2-4</sub>alkenyl

25 and heterocyclylC<sub>2-4</sub>alkynyl which group is optionally substituted by a substituent selected

**-271-**

from halo, hydroxy, phosphonooxy, C<sub>1-4</sub>alkoxy, hydroxyC<sub>1-4</sub>alkyl, phosphonooxyC<sub>1-4</sub>alkyl, -NR<sup>9'</sup>R<sup>10'</sup>, -C(O)R<sup>9'</sup>, -C(O)NR<sup>9'</sup>R<sup>10'</sup> and -C(O)OR<sup>9'</sup>;

R<sup>2'</sup> is hydrogen, halo, nitro, cyano or -X<sup>2</sup>R<sup>12'</sup>;

R<sup>12'</sup> is hydrogen, phosphonooxy or a group selected from C<sub>1-6</sub>alkyl, C<sub>2-6</sub>alkenyl, C<sub>2-6</sub>alkynyl,

- 5 C<sub>3-6</sub>cycloalkyl, C<sub>3-6</sub>cycloalkenyl, aryl, arylC<sub>1-4</sub>alkyl, arylC<sub>2-4</sub>alkenyl, arylC<sub>2-4</sub>alkynyl, heterocyclyl, heterocyclylC<sub>1-4</sub>alkyl, heterocyclylC<sub>2-4</sub>alkenyl and heterocyclylC<sub>2-4</sub>alkynyl, which group is optionally substituted by 1, 2 or 3 substituents selected from halo, hydroxy, phosphonooxy, C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, -NR<sup>15</sup>R<sup>16</sup>, -NHC(O)NR<sup>15</sup>R<sup>16</sup>, -C(O)R<sup>15</sup> and -C(O)OR<sup>15</sup>; R<sup>3'</sup> is hydrogen, halo or -X<sup>3</sup>R<sup>13'</sup>;

- 10 R<sup>13'</sup> is hydrogen, phosphonooxy or a group selected from C<sub>1-6</sub>alkyl, C<sub>2-6</sub>alkenyl, C<sub>2-6</sub>alkynyl, C<sub>3-6</sub>cycloalkyl, C<sub>3-6</sub>cycloalkenyl, aryl, arylC<sub>1-4</sub>alkyl, arylC<sub>2-4</sub>alkenyl, arylC<sub>2-4</sub>alkynyl, heterocyclyl, heterocyclylC<sub>1-4</sub>alkyl, heterocyclylC<sub>2-4</sub>alkenyl and heterocyclylC<sub>2-4</sub>alkynyl which group is optionally substituted by 1 or 2 substituents independently selected from -NR<sup>7'</sup>R<sup>8'</sup>, -C(O)NR<sup>7'</sup>R<sup>8'</sup>, halo, hydroxy, phosphonooxy, C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, hydroxyC<sub>1-4</sub>alkyl, phosphonooxyC<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkylcarbonyl, phosphonooxyC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, aminoC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylaminoC<sub>1-4</sub>alkylcarbonyl and bis(C<sub>1-4</sub>alkyl)aminoC<sub>1-4</sub>alkylcarbonyl;

R<sup>7'</sup> and R<sup>8'</sup> are independently selected from hydrogen, heterocyclyl, heterocyclylC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkylheterocyclylC<sub>1-4</sub>alkyl, C<sub>1-6</sub>alkyl, hydroxyC<sub>1-6</sub>alkyl, phosphonooxyC<sub>1-6</sub>alkyl, C<sub>1-4</sub>alkoxyC<sub>1-6</sub>alkyl, C<sub>3-6</sub>cycloalkyl, C<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, hydroxyC<sub>3-6</sub>cycloalkyl,

- 20 phosphonooxyC<sub>3-6</sub>cycloalkyl, hydroxyC<sub>1-4</sub>alkylC<sub>3-6</sub>cycloalkyl, phosphonooxyC<sub>1-4</sub>alkylC<sub>3-6</sub>cycloalkyl, hydroxyC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, phosphonooxyC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkylC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, phosphonooxyC<sub>1-4</sub>alkylC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxyC<sub>3-6</sub>cycloalkyl, C<sub>1-4</sub>alkoxyC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, haloC<sub>1-6</sub>alkyl, haloC<sub>3-6</sub>cycloalkyl, haloC<sub>3-6</sub>cycloalkylC<sub>1-4</sub>alkyl, C<sub>2-6</sub>alkenyl, C<sub>2-6</sub>alkynyl, cyanoC<sub>1-4</sub>alkyl, aminoC<sub>1-6</sub>alkyl, C<sub>1-4</sub>alkylaminoC<sub>1-6</sub>alkyl, bis(C<sub>1-4</sub>alkyl)aminoC<sub>1-6</sub>alkyl, hydroxyC<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl, phosphonooxyC<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkylcarbonyl, phosphonooxyC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, aminoC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylaminoC<sub>1-4</sub>alkylcarbonyl and bis(C<sub>1-4</sub>alkyl)aminoC<sub>1-4</sub>alkylcarbonyl;

- 30 or R<sup>7'</sup> and R<sup>8'</sup> together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO<sub>2</sub>, and which ring is

-272-

- optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C<sub>1-4</sub>alkyl, hydroxy, phosphonooxy, C<sub>1-4</sub>alkoxy, hydroxyC<sub>1-4</sub>alkyl, phosphonooxyC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl, phosphonooxyC<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkoxy, hydroxyC<sub>1-4</sub>alkylcarbonyl, phosphonooxyC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, aminoC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylaminoC<sub>1-4</sub>alkylcarbonyl and bis(C<sub>1-4</sub>alkyl)aminoC<sub>1-4</sub>alkylcarbonyl, and where a ring -CH<sub>2</sub>- is optionally replaced with -C(O)-; R<sup>9</sup>, R<sup>10</sup>, R<sup>15</sup> and R<sup>16</sup> are independently selected from hydrogen, C<sub>1-6</sub>alkyl, C<sub>3-6</sub>cycloalkyl, C<sub>3-6</sub>cycloalkylC<sub>1-3</sub>alkyl, hydroxyC<sub>1-6</sub>alkyl, phosphonooxyC<sub>1-6</sub>alkyl, haloC<sub>1-6</sub>alkyl, aminoC<sub>1-6</sub>alkyl, C<sub>1-6</sub>alkylaminoC<sub>1-6</sub>alkyl and bis(C<sub>1-6</sub>alkyl)aminoC<sub>1-6</sub>alkyl;
- or R<sup>9</sup> and R<sup>10</sup> together with the nitrogen to which they are attached form a heterocyclic ring which ring is monocyclic or bicyclic and comprises 4 to 7 ring atoms of which one is nitrogen and of which another is optionally selected from N, NH, O, S, SO and SO<sub>2</sub>, and which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from C<sub>1-4</sub>alkyl, hydroxy, phosphonooxy, C<sub>1-4</sub>alkoxy, hydroxyC<sub>1-4</sub>alkyl, phosphonooxyC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl, phosphonooxyC<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxyC<sub>1-4</sub>alkoxy, hydroxyC<sub>1-4</sub>alkylcarbonyl, phosphonooxyC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylcarbonyl, aminoC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylaminoC<sub>1-4</sub>alkylcarbonyl and bis(C<sub>1-4</sub>alkyl)aminoC<sub>1-4</sub>alkylcarbonyl, and where a ring -CH<sub>2</sub>- is optionally replaced with -C(O)-; provided that a compound of formula (IA) contains at least one phosphonooxy group.

20

3. A compound according to claim 2 containing only one phosphonooxy group.
4. A compound according to claim 1 wherein R<sup>1</sup> is hydrogen, halo or -OR<sup>11</sup> and R<sup>11</sup> is hydrogen or a group selected from C<sub>1-6</sub>alkyl, heterocyclyl and heterocyclylC<sub>1-4</sub>alkyl, which group is optionally substituted by a substituent selected from hydroxy, C<sub>1-4</sub>alkoxy, hydroxyC<sub>1-4</sub>alkyl, hydroxyC<sub>1-4</sub>alkylcarbonyl, aminoC<sub>1-4</sub>alkylcarbonyl, C<sub>1-4</sub>alkylaminoC<sub>1-4</sub>alkylcarbonyl and bis(C<sub>1-4</sub>alkyl)aminoC<sub>1-4</sub>alkylcarbonyl.
5. A compound according to claim 1 wherein R<sup>2</sup> is hydrogen, halo, -OR<sup>12</sup> or -OC(O)R<sup>12</sup> and R<sup>12</sup> is hydrogen or a group selected from C<sub>1-4</sub>alkyl, aryl, heterocyclyl and heterocyclylC<sub>1-4</sub>alkyl which group is optionally substituted by a substituent selected from C<sub>1-4</sub>alkyl and C<sub>1-4</sub>alkoxy.

30

-273-

6. A compound according to claim 1 wherein  $R^3$  is hydrogen or  $-X^3R^{13}$  and  $R^{13}$  is hydrogen, methyl, ethyl, propyl, heterocyclyl, heterocyclylmethyl, heterocycylethyl or heterocyclylpropyl which methyl, ethyl or propyl are optionally substituted by  $-NR^7R^8$ ,  $-C(O)NR^7R^8$  or 1 or 2 halo, hydroxy or  $C_{1-4}$ alkoxy substituents and which heterocyclylmethyl, heterocycylethyl or heterocyclylpropyl are optionally substituted on heterocyclyl by hydroxy,  $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkyl or hydroxy $C_{1-4}$ alkylcarbonyl.

7. A compound according to claim 6 wherein  $R^7$  and  $R^8$  are independently selected from hydrogen, heterocyclyl, heterocyclyl $C_{1-4}$ alkyl,  $C_{1-4}$ alkylheterocyclyl $C_{1-4}$ alkyl,  $C_{1-6}$ alkyl, hydroxy $C_{1-6}$ alkyl,  $C_{1-4}$ alkoxy $C_{1-4}$ alkyl,  $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkyl $C_{1-4}$ alkyl, hydroxy $C_{3-6}$ cycloalkyl, hydroxy $C_{1-4}$ alkyl $C_{3-6}$ cycloalkyl, halo $C_{1-6}$ alkyl,  $C_{2-4}$ alkenyl,  $C_{2-4}$ alkynyl, cyano $C_{1-4}$ alkyl, amino $C_{1-4}$ alkyl,  $C_{1-4}$ alkylamino $C_{1-4}$ alkyl, bis( $C_{1-4}$ alkyl)amino $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl and hydroxy $C_{1-4}$ alkylcarbonyl; or  $R^7$  and  $R^8$  together with the nitrogen to which they are attached form a heterocyclic ring selected from azetidine, pyrrolidine, piperidine, morpholine, piperazine, diazepane, 1,4-diazepane and azabicyclo[3.1.0]hexane which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from  $C_{1-4}$ alkyl, hydroxy, hydroxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkylcarbonyl and hydroxy $C_{1-4}$ alkylcarbonyl, and where a ring  $-CH_2-$  is optionally replaced with  $-C(O)-$ .

8. A compound according to claim 2 wherein  $R^{1'}$  is hydrogen, halo or  $-OR^{11'}$  and  $R^{11'}$  is hydrogen, phosphonooxy or a group selected from  $C_{1-6}$ alkyl, heterocyclyl and heterocyclyl $C_{1-4}$ alkyl, which group is optionally substituted by a substituent selected from hydroxy, phosphonooxy,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkylcarbonyl, phosphonooxy $C_{1-4}$ alkylcarbonyl, amino $C_{1-4}$ alkylcarbonyl,  $C_{1-4}$ alkylamino $C_{1-4}$ alkylcarbonyl and bis( $C_{1-4}$ alkyl)amino $C_{1-4}$ alkylcarbonyl.

9. A compound according to claim 2 wherein  $R^{2'}$  is hydrogen, halo,  $-OR^{12'}$  or  $-OC(O)R^{12'}$  and  $R^{12'}$  is hydrogen, phosphonooxy or a group selected from  $C_{1-4}$ alkyl, aryl, heterocyclyl and heterocyclyl $C_{1-4}$ alkyl which group is optionally substituted by a substituent selected from  $C_{1-4}$ alkyl and  $C_{1-4}$ alkoxy.

-274-

10. A compound according to claim 2 wherein  $R^{3'}$  is hydrogen, phosphonooxy or  $-X^3R^{13'}$  and  $R^{13'}$  is hydrogen or a group selected from  $C_{1-6}$ alkyl, aryl, aryl $C_{1-4}$ alkyl, heterocyclyl and heterocyclyl $C_{1-4}$ alkyl, which group is optionally substituted by 1 or 2 substituents
- 5 independently selected from  $-NR^{7'}R^{8'}$ ,  $-C(O)NR^{7'}R^{8'}$ , halo, hydroxy, phosphonooxy,  $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkylcarbonyl, phosphonooxy $C_{1-4}$ alkylcarbonyl and  $C_{1-4}$ alkylcarbonyl.
11. A compound according to claim 10 wherein  $R^{7'}$  and  $R^{8'}$  are independently selected
- 10 from hydrogen, heterocyclyl, heterocyclyl $C_{1-4}$ alkyl,  $C_{1-4}$ alkylheterocyclyl $C_{1-4}$ alkyl,  $C_{1-6}$ alkyl, hydroxy $C_{1-6}$ alkyl, phosphonooxy $C_{1-6}$ alkyl,  $C_{1-4}$ alkoxy $C_{1-4}$ alkyl,  $C_{3-6}$ cycloalkyl,  $C_{3-6}$ cycloalkyl $C_{1-4}$ alkyl, hydroxy $C_{3-6}$ cycloalkyl, phosphonooxy $C_{3-6}$ cycloalkyl, hydroxy $C_{1-4}$ alkyl $C_{3-6}$ cycloalkyl, phosphonooxy $C_{1-4}$ alkyl $C_{3-6}$ cycloalkyl, halo $C_{1-6}$ alkyl,  $C_{2-4}$ alkenyl,  $C_{2-4}$ alkynyl, cyano $C_{1-4}$ alkyl, amino $C_{1-4}$ alkyl, bis( $C_{1-4}$ alkyl)amino $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkylcarbonyl and phosphonooxy $C_{1-4}$ alkylcarbonyl; or  $R^{7'}$  and  $R^{8'}$  together with the nitrogen to which they are attached form a
- 15 heterocyclic ring selected from azetidine, pyrrolidine, piperidine, morpholine, piperazine, diazepane, 1,4-diazepane and azabicyclo[3.1.0]hexane which ring is optionally substituted on carbon or nitrogen by 1 or 2 substituents independently selected from  $C_{1-4}$ alkyl, hydroxy, phosphonooxy, hydroxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, hydroxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl, phosphonooxy $C_{1-4}$ alkoxy $C_{1-4}$ alkyl,  $C_{1-4}$ alkylcarbonyl, hydroxy $C_{1-4}$ alkylcarbonyl and phosphonooxy $C_{1-4}$ alkylcarbonyl, and where a ring  $-CH_2-$  is optionally
- 20 replaced with  $-C(O)-$ .
- 25 12. A compounds according to any one of the preceding claims wherein X is NH.
13. A compound according to any one of the preceding claims wherein  $R^4$  is hydrogen.
14. A compound according to any one of the preceding claims wherein  $R^5$  is aryl
- 30 optionally substituted by 1 or 2 halo.

-275-

15. A compound according to any one of the preceding claims wherein R<sup>19</sup> is hydrogen, hydroxycarbonyl, ethoxycarbonyl, aminocarbonyl and acetyl amino.

16. A compound of formula (I) selected from:

- 5 2-(4-{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- 2-(4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 2-(4-{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 10 2-(4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- 2-(4-{[7-(2-chloroethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 15 2-(4-{[7-(2-chloroethoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- N*-(2,3-difluorophenyl)-2-(4-{[7-(2,2-dimethoxyethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 4-{[7-(3-chloropropoxy)-6-methoxyquinazolin-4-yl]amino}-1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazole-3-carboxamide;
- 20 ethyl 4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazole-3-carboxylate;
- 2-(3-(acetyl amino)-4-{[7-(3-chloropropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- 25 *N*-(2,3-difluorophenyl)-2-[4-(quinazolin-4-ylamino)-1*H*-pyrazol-1-yl]acetamide;
- 2-(4-{[7-(3-chloropropoxy)-5-isopropoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 2-(4-{[7-(3-chloropropoxy)-5-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- 30 2-(4-{[7-(3-chloropropoxy)-6-fluoroquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;



**-276-**

2-(4-{[7-(3-chloropropoxy)-6-fluoroquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

5 *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-(4-{[6-methoxy-7-(3-piperidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

10 *N*-(3-fluorophenyl)-2-(4-{[6-methoxy-7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

2-[4-({7-[3-(diethylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

15 *N*-(3-fluorophenyl)-2-(4-{[6-methoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-[4-({7-[3-(cyclopropylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(3-fluorophenyl)acetamide;

20

2-{4-[(7-{3-[[2-(dimethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

*N*-(3-fluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

25 *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-[4-({7-[3-(4-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

2-{4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

30

2-{4-[(7-{3-[ethyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

-277-

2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

2-{4-[(7-{3-[2-(dimethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

5 *N*-(3-fluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

10 2-{4-[(7-{3-[(cyclopropylmethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(prop-2-yn-1-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

15 2-{4-[(7-{3-[allyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[isobutyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

20 *N*-(3-fluorophenyl)-2-[4-((7-[3-(3-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(3-fluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

25 2-{4-[(7-{3-[(cyclopropylmethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

2-{4-[(7-{3-[2-(diethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

30 2-{4-[(7-{3-[2-(diethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

*N*-(3-fluorophenyl)-2-[4-((6-methoxy-7-[3-(4-methyl-1,4-diazepan-1-yl)propoxy]quinazolin-4-yl)amino)-1*H*-pyrazol-1-yl]acetamide;

-278-

- N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isopropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclopropyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 5 *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclobutyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 10 *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(cyclobutylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(prop-2-yn-1-yl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 15 2-{4-[(7-{3-[allyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(7-{3-[(2,2-dimethylpropyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(3,3,3-trifluoropropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 20 2-(4-{[7-(3-azetidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl)-*N*-(3-fluorophenyl)acetamide;
- 2-{4-[(6,7-dimethoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-hydroxy-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 25 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 30 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

-279-

- N*-(2,3-difluorophenyl)-2-[4-({7-[3-(dimethylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- N*-(2,3-difluorophenyl)-2-(4-{[6-methoxy-7-(3-piperidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 5 *N*-(2,3-difluorophenyl)-2-(4-{[6-methoxy-7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- N*-(2,3-difluorophenyl)-2-(4-{[6-methoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide
- 10 2-[4-({7-[3-(cyclopropylamino)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[[2-(dimethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 15 *N*-(2,3-difluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-[4-({7-[3-(4-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- 20 2-{4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 25 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[[2-(dimethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 30 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

**-280-**

- 2-{4-[(7-{3-[(cyclopropylmethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 5 *N*-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(prop-2-yn-1-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[isobutyl(methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-[4-({7-[3-(3-hydroxypiperidin-1-yl)propoxy]-6-methoxyquinazolin-10 4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(6-methoxy-7-{3-[methyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 15 2-{4-[(7-{3-[(cyclopropylmethyl)(propyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- 2-{4-[(7-{3-[[2-(diethylamino)ethyl](methyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- 2-{4-[(7-{3-[[2-(diethylamino)ethyl](ethyl)amino]propoxy}-6-methoxyquinazolin-4-20 yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- N*-(2,3-difluorophenyl)-2-[4-({6-methoxy-7-[3-(4-methyl-1,4-diazepan-1-yl)propoxy]quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl]acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isopropyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 25 2-{4-[(7-{3-[cyclopropyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclobutyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-30 1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- 2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

**-281-**

- 2-{4-[(7-{3-[(cyclobutylmethyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;  
*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(prop-2-yn-1-yl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 5 2-{4-[(7-{3-[allyl(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;  
*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2,2-dimethylpropyl)(2-hydroxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;  
*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(3,3,3-trifluoropropyl)amino]propoxy}-
- 10 6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;  
*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;  
*N*-(2,3-difluorophenyl)-2-(4-{[7-(2-{4-[2-(2-hydroxyethoxy)ethyl]piperazin-1-yl}ethoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 15 *N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[2-(hydroxymethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;  
*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxy-1,1-dimethylethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;  
*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(2-hydroxyethyl)piperazin-1-yl]ethoxy}-6-
- 20 methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;  
*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(*trans*-4-hydroxycyclohexyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;  
*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[3-(hydroxymethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 25 *N*-(2,3-difluorophenyl)-2-(4-{[7-(2-{[1-(hydroxymethyl)cyclopentyl]amino}ethoxy)-6-methoxyquinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;  
*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(3-hydroxypropyl)piperazin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{2-[cyclohexyl(2-hydroxyethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-
- 30 1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;  
*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(propyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

-282-

- N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3-hydroxy-2,2-diethylpropyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-[4-({6-methoxy-7-[2-(tetrahydro-2*H*-pyran-4-ylamino)ethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- 5 2-{4-[(7-{2-[cyclobutyl(2-hydroxyethyl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 10 *N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(2-hydroxyethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*S*)-2-(2-hydroxyethyl)piperidin-1-yl]ethoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 15 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(isobutyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 20 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 2-{4-[(7-{3-[cyclopentyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;
- 25 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 30 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-1,1-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

**-283-**

2-{4-[(7-{3-[(2-cyanoethyl)(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[7-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

- 5 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-2,2-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;  
*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;  
*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3-hydroxypropyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

- 10 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[ethyl(3-hydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;  
*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)-3-oxopiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

- 15 *N*-(2,3-difluorophenyl)-2-[4-({7-[3-(propylamino)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;  
*N*-(2,3-difluorophenyl)-2-(4-{[7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

- N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[glycoloyl(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;  
20 *N*-(2,3-difluorophenyl)-2-[4-({7-[3-(4-glycoloylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

- N*-(2,3-difluorophenyl)-2-(4-{[7-(3-{[*trans*-2-(hydroxymethyl)cyclohexyl]amino}propoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

- 25 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(1 $\alpha$ ,5 $\alpha$ ,6 $\alpha$ )-6-(hydroxymethyl)-3-azabicyclo[3.1.0]hex-3-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;  
*N*-(2,3-difluorophenyl)-2-(4-{[7-(3-{[(2*R*)-2-hydroxypropyl]amino}propoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 30 *N*-(2,3-difluorophenyl)-2-(4-{[7-(3-{[(1*S*)-2-hydroxy-1-methylethyl]amino}propoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;



-284-

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxy-1,1-

dimethylethyl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2,3-dihydroxypropyl)amino]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

5 *N*-(2,3-difluorophenyl)-2-(4-{[7-(3-{[2-(2-hydroxyethoxy)ethyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

2-[4-({7-[3-(4-acetylpiperazin-1-yl)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(tetrahydrofuran-2-ylmethyl)amino]propoxy}quinazolin-10 4-yl)amino]-1H-pyrazol-1-yl}acetamide;

2-[4-({7-[3-(allylamino)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[7-(3-{[1-(hydroxymethyl)-2-methylpropyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

15 *N*-(2,3-difluorophenyl)-2-(4-{[7-(3-{[(5-methylisoxazol-3-yl)methyl]amino}propoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

*N*-(2,3-difluorophenyl)-2-[4-({7-[3-(tetrahydro-2H-pyran-4-ylamino)propoxy]quinazolin-4-yl}amino)-1H-pyrazol-1-yl]acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3*S*)-3-(hydroxymethyl)pyrrolidin-1-20 yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[7-(3-hydroxypropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)acetamide;

2-(4-{[7-(3-aminopropoxy)quinazolin-4-yl]amino}-1H-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;

25 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*,4*R*)-4-hydroxy-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3-hydroxy-2,2-dimethylpropyl)amino]ethoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-yl}acetamide;

2-[4-[(7-{2-[cyclohexyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1H-pyrazol-1-30 yl]-*N*-(2,3-difluorophenyl)acetamide;

**-285-**

2-[4-({7-[2-(cyclopropylamino)ethoxy]quinazolin-4-yl} amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

2-[4-({7-[2-(cyclobutylamino)ethoxy]quinazolin-4-yl} amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

5 *N*-(2,3-difluorophenyl)-2-[4-({7-[2-(tetrahydro-2*H*-pyran-4-ylamino)ethoxy]quinazolin-4-yl} amino)-1*H*-pyrazol-1-yl]acetamide;

2-[4-({7-[2-(cyclopentylamino)ethoxy]quinazolin-4-yl} amino)-1*H*-pyrazol-1-yl]-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

10 2-{4-[(7-{2-[cyclopentyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

15 2-{4-[(7-{2-[cyclopropyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclobutyl(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

20 2-{4-[(7-{2-[cyclopentyl(3-hydroxypropyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{2-[cyclopentyl(glycoloyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(3*S*)-3-(hydroxymethyl)-4-methylpiperazin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

25 *N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2*R*)-2-(hydroxymethyl)-4-methylpiperazin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(hydroxymethyl)piperidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

30

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[4-(2-hydroxyethyl)piperidin-1-yl]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

**-286-**

*N*-(2,3-difluorophenyl)-2-{4-[(7-{2-[(2-hydroxyethyl)amino]ethoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[7-(2-{[*trans*-2-(hydroxymethyl)cyclohexyl]amino}ethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-

5 yl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[7-(3-pyrrolidin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

10 *N*-(2,3-difluorophenyl)-2-{4-[(7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(tetrahydro-2*H*-pyran-4-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

15 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)-4-methylpiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

20 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3*S*)-3-(hydroxymethyl)-4-methylpiperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)morpholin-4-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(3*S*)-3-(hydroxymethyl)morpholin-4-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

25 *N*-(2,3-difluorophenyl)-2-[4-({7-[3-(glycoloylamino)propoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-

30 *N*-(3-fluorophenyl)acetamide;

*N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

-287-

- N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(hydroxymethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{3-[(3-hydroxy-1,1-dimethylpropyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 5 *N*-(3-fluorophenyl)-2-{4-[(7-{3-[2-(2-hydroxyethyl)piperidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(tetrahydrofuran-3-yl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 10 *N*-(3-fluorophenyl)-2-(4-{[7-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino})-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-[4-({7-[(2*S*)-pyrrolidin-2-ylmethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- 15 *N*-(3-fluorophenyl)-2-{4-[(7-{[(2*S*)-1-(2-hydroxyethyl)pyrrolidin-2-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-{[(2*S*)-1-glycoloylpyrrolidin-2-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-(4-{[7-(pyrrolidin-3-ylmethoxy)quinazolin-4-yl]amino})-1*H*-pyrazol-1-yl}acetamide;
- 20 *N*-(3-fluorophenyl)-2-{4-[(7-{[1-(2-hydroxyethyl)pyrrolidin-3-yl]methoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-[4-({7-[(1-glycoloylpyrrolidin-3-yl)methoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- 25 *N*-(3-fluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(3-fluorophenyl)-2-{4-[(7-hydroxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2-Fluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide
- 30 2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2-fluorophenyl)acetamide;

**-288-**

2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-phenylacetamide;

2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-phenylacetamide;

5 *N*-(2,6-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

2-{4-[(7-{3-[ethyl(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

2-{4-[(7-{3-[(cyclopropylmethyl)(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-

10 yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(6-fluoro-7-{3-[(2-hydroxyethyl)(propyl)amino]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(6-fluoro-7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

15 2-{4-[(7-{3-[cyclopentyl(2-hydroxyethyl)amino]propoxy}-6-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

2-{4-[(7-{3-[bis(2-hydroxyethyl)amino]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(2,3-difluorophenyl)acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-

20 isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[4-(2-hydroxyethyl)piperazin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-(4-{[5-isopropoxy-7-(3-piperazin-1-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;

25 *N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2-hydroxyethyl)amino]propoxy}-5-isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-[4-({7-[3-(4-glycoloyl)piperazin-1-yl]propoxy}-5-

30 isopropoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

*N*-(2,3-difluorophenyl)-2-{4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-5-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;

-289-

- N*-(2,3-difluorophenyl)-2-{4-[(5,7-dimethoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(5-hydroxy-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 5 *N*-(2,3-difluorophenyl)-2-[4-({7-methoxy-5-[(2*R*)-pyrrolidin-2-ylmethoxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-glycoloylpyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-(*N,N*-dimethylglycyl)pyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 10 *N*-(2,3-difluorophenyl)-2-{4-[(5-{[(2*R*)-1-(2-hydroxyethyl)pyrrolidin-2-yl]methoxy}-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(5-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- N*-(2,3-difluorophenyl)-2-{4-[(5-fluoroquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 15 *N*-(3-fluorophenyl)-2-(4-{[7-methoxy-6-(3-morpholin-4-ylpropoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- N*-(3-fluorophenyl)-2-[4-({7-methoxy-6-[(1-methylpyrrolidin-3-yl)oxy]quinazolin-4-yl}amino)-1*H*-pyrazol-1-yl]acetamide;
- N*-(3-fluorophenyl)-2-(4-{[7-methoxy-6-(2-morpholin-4-ylethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)acetamide;
- 20 2-(4-{[6,7-bis(2-methoxyethoxy)quinazolin-4-yl]amino}-1*H*-pyrazol-1-yl)-*N*-(2,3-difluorophenyl)acetamide;
- N*-(3-fluorophenyl)-2-{4-[(6-hydroxy-7-methoxyquinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}acetamide;
- 25 4-((1-(2-((2,3-difluorophenyl)amino)-2-oxoethyl)-1*H*-pyrazol-4-yl)amino)-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-6-yl benzoate;
- N*-(2,3-difluorophenyl)-2-(4-((6-hydroxy-7-((1-methylpiperidin-4-yl)methoxy)quinazolin-4-yl)amino)-1*H*-pyrazol-1-yl)acetamide;
- 1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2-hydroxyethyl)(2-methoxyethyl)amino]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxamide;
- 30

**-290-**

1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2*S*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}-6-methoxyquinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxamide;

2-{3-(acetyl-amino)-4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazol-1-yl}-*N*-(3-fluorophenyl)acetamide;

5 ethyl 1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxylate; and

1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-4-[(7-{3-[(2*R*)-2-(hydroxymethyl)pyrrolidin-1-yl]propoxy}quinazolin-4-yl)amino]-1*H*-pyrazole-3-carboxylic acid;

or a salt, ester or prodrug thereof.

10

17. A compound of formula (IA) selected from:

2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;

{(2*S*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-

15 methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;

{(2*S*)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;

2-{ethyl[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]amino}ethyl dihydrogen phosphate;

20 {(2*R*)-1-[3-({4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;

2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;

{(2*S*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-

25 yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;

{(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-

yl)amino]quinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;

{(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;

30 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)propyl](ethyl)amino]ethyl dihydrogen phosphate;

**-291-**

- 2-[[3-((4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
- 2-{cyclobutyl[3-((4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl)oxy)propyl]amino}ethyl dihydrogen phosphate;
- 5 2-{cyclobutyl[3-((4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl)oxy)propyl]amino}ethyl dihydrogen phosphate;
- 2-[[3-((4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl)oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;
- 2-[[3-((4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
- 10 yl)oxy)propyl](propyl)amino]ethyl dihydrogen phosphate;
- 2-{4-[3-((4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate;
- 2-{ethyl[3-((4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy)propyl]amino}ethyl dihydrogen phosphate;
- 15 2-[[3-((4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy)propyl](ethyl)amino]ethyl dihydrogen phosphate;
- 3-[[3-((4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy)propyl]amino]-3-methylbutyl dihydrogen phosphate;
- 3-[[3-((4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy)propyl]amino]-3-methylbutyl dihydrogen phosphate;
- 20 {(2*R*)-1-[3-((4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- 2-{4-[3-((4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate
- 25 3-[[3-((4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy)propyl]amino}propyl dihydrogen phosphate;
- 2-[[3-((4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy)propyl]amino}ethyl dihydrogen phosphate;
- 2-[[3-((4-[(1-{2-[(3-fluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy)propyl](2-methoxyethyl)amino]ethyl dihydrogen phosphate;
- 30 3-[[3-((4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl)oxy)propyl](ethyl)amino]propyl dihydrogen phosphate;



**-292-**

- 3-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]propyl dihydrogen phosphate;
- 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl](propyl)amino]-2-oxoethyl dihydrogen phosphate;
- 5 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]piperazin-1-yl}-2-oxoethyl dihydrogen phosphate;
- {(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-fluoroquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- 4-((1-(2-((2,3-difluorophenyl)amino)-2-oxoethyl)-1*H*-pyrazol-4-yl)amino)-7-((1-
- 10 methylpiperidin-4-yl)methoxy)quinazolin-6-yl dihydrogen phosphate;
- {(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl}oxy)propyl]piperazin-1-yl}ethyl dihydrogen phosphate;
- 15 2-[[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-isopropoxyquinazolin-7-yl}oxy)propyl]amino]ethyl dihydrogen phosphate;
- {(2*R*)-1-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-5-methoxyquinazolin-7-yl}oxy)propyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- {(2*R*)-1-[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-
- 20 methoxyquinazolin-7-yl}oxy)ethyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- {(2*S*)-1-[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)ethyl]pyrrolidin-2-yl}methyl dihydrogen phosphate;
- 2-[[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]-6-methoxyquinazolin-7-yl}oxy)ethyl](tetrahydro-2*H*-pyran-4-yl)amino]ethyl dihydrogen
- 25 phosphate;
- 2-{4-[3-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)propyl]-2-oxopiperazin-1-yl}ethyl dihydrogen phosphate; and
- 2-[[2-({4-[(1-{2-[(2,3-difluorophenyl)amino]-2-oxoethyl}-1*H*-pyrazol-4-yl)amino]quinazolin-7-yl}oxy)ethyl](tetrahydro-2*H*-pyran-4-yl)amino]ethyl dihydrogen phosphate;
- 30 or a salt or ester thereof.

18. A compound according to any one of the preceding claims for use as a medicament.

-293-

19. The use of a compound according to any one of claim 1 to 17, in the preparation of a medicament for the treatment of a disease where the inhibition of one or more Aurora kinase(s) is beneficial.

5

20. The use according to claim 19 where one or more Aurora kinase(s) are Aurora-A kinase and/or Aurora-B kinase.


21. The use of a compound according to any one of claims 1 to 17, in the preparation of a medicament for the treatment of colorectal, breast, lung, prostate, bladder, renal or pancreatic cancer or leukaemia or lymphoma.

22. A pharmaceutical composition comprising a compound as defined in any one of claims 1 to 17, or a pharmaceutically acceptable salt, ester or prodrug thereof, in association with a pharmaceutically acceptable diluent or carrier.

23. A method of treating a human suffering from a hyperproliferative disease, comprising the steps of administering to a person in need of such treatment a therapeutic amount of a compound as defined in any one of claims 1 to 17.

20


24. A process for the preparation of a compound according to claim 1 or a pharmaceutically acceptable salt, ester or prodrug thereof, which process comprises reacting a compound of formula (II)



(II)

25

where L is a suitable leaving group and R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup> are as defined in claim 1 with a compound of formula (III)



wherein  $R^5$  and  $R^{19}$  are as defined in claim 1

in the presence of hydrochloric acid in dioxane under an inert atmosphere,

5 and thereafter if necessary:

- i) converting a compound of the formula (I) into another compound of the formula (I); and/or
- ii) removing any protecting groups; and/or
- iii) forming a salt, ester or prodrug thereof.

10 25. A process for the preparation of a compound according to claim 2 or a pharmaceutically acceptable salt thereof, which process comprises phosphorylation of a compound according to claim 1, followed by deprotection of the phosphate group to yield a compound according to claim 2.